



**NOTES**

1. FOR NOTES & REFERENCE SEE A.M. DWG. NO. 4059/50
2. NEW DRAINS PASSING UNDER NEW EXTENSIONS TO BE CAST IRON. EXISTING DRAINS PASSING UNDER NEW EXTENSIONS TO BE ENCASED IN CONCRETE
3. FOR TYPICAL DETAILS OF M.H. COVERS & FRAMES SEE A.M. DWG. NO. 4679/36 FOR TYPICAL DRAINAGE DETAILS SEE A.M. DWG. 6331/36
4. RAINWATER GULLIES SHOWN THUS - R.W.G. LAVATORY BASIN WASTE GULLIES SHOWN THUS - L.W. SINK WASTE GULLIES SHOWN THUS - S.W.
5. ALL LEVELS REDUCED TO O.D. (NEWLYN) B.M. USED 80.76 ON ALL SAINTS CHURCH.
7. ALL DRAINS WHICH PASS UNDER ROADS WITH LESS THAN 3'-0" OF COVER ARE TO BE SURROUNDED WITH CONCRETE.
8. INVERTS OF EXISTING DRAINS ARE APPROXIMATE ONLY AND SHOULD BE DETERMINED ON SITE.
9. FOR LAY OUT AND DETAILS OF EXTENSIONS SEE A.M. DWG. NO. 3354/53
10. BENCHING IN EXISTING M.H.'S RECEIVING NEW DRAINS TO BE RE-FORMED TO SUIT NEW REQUIREMENTS.

F.L. 44.50

SCALE 8 FEET TO ONE INCH.

**COLTISHALL**

**OFFICER'S MESS  
ALTERATIONS & ADDITIONS  
FOUL & STORMWATER DRAINAGE**

ARCHIVED TO 00

 FOR W.D.O. 2	 FOR D.C.W.	WORKS-DIRECTORATE
		4466
C.F.B. E.L. JAMES	JUNE 1963	AIR MINISTRY
		CONTRACT TRACED 30' X 21'

**D**